

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|---------------------|
| S1 | 11 | ((Brusotti near3 Stefano) (Coda near3 Zabetta near3 Francesco)).in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/19 20:20 |
| S2 | 2 | ((Brusotti near3 Stefano) (Coda near3 Zabetta near3 Francesco)).in. AND intrusion. clm. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/19 20:21 |
| S3 | 149 | 726/23.cds. AND (IDS intrusion near3 (detect\$4 prevent\$4))).ab. AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/19 20:31 |
| S10 | 23 | ((IDS (intrusion near3 (detect \$4 prevent\$4))).ab. AND ((test\$4 replicat\$4 clon\$4 simulat\$4) with block\$4 with (package communicat\$4 connect\$4)) AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/19 20:43 |
| S11 | 17 | ((IDS (intrusion near3 (detect \$4 prevent\$4))).clm. AND ((test\$4 replicat\$4 clon\$4 simulat\$4) with (detect\$4 examin\$6 check\$4 determin \$4) with (packet communicat \$4 connect\$4) with ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet)))) AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/19 20:54 |
| S12 | 6 | "726"/\$.cds. AND (IDS intrusion near3 (detect\$4 prevent\$4))).ab. AND ((test \$4 replicat\$4 clon\$4 simulat \$4) with block\$4 with (packete communicat\$4 connect\$4 stream)) AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/19 20:54 |

| | | | | | | |
|-----|----|---|---|----|----|---------------------|
| S13 | 10 | "726"/\$.cds. AND (IDS (intrusion near3 (detect\$4 prevent\$4))).ab. AND (((test \$4 replicat\$4 clon\$4 simulat \$4) with block\$4 with (packet communicat\$4 connect\$4 stream)) AND (@ad<"20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/19 20:54 |
| S14 | 4 | 726/23.cds. AND (IDS (intrusion near3 (detect\$4 prevent\$4))).ab. AND (((test \$4 replicat\$4 clon\$4 simulat \$4) with block\$4 with (packet communicat\$4 connect\$4 stream)) AND (@ad<"20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/19 20:54 |
| S15 | 10 | "726"/\$.cds. AND (IDS (intrusion near3 (detect\$4 prevent\$4))).ab. AND (((test \$4 replicat\$4 clon\$4 simulat \$4) with block\$4 with (packet communicat\$4 connect\$4 stream)) AND (@ad<"20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/19 20:54 |
| S16 | 4 | "713"/\$.cds. AND (IDS (intrusion near3 (detect\$4 prevent\$4))).ab. AND (((test \$4 replicat\$4 clon\$4 simulat \$4) with block\$4 with (packet communicat\$4 connect\$4 stream)) AND (@ad<"20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/19 20:54 |
| S17 | 2 | "370"/\$.cds. AND (IDS (intrusion near3 (detect\$4 prevent\$4))).ab. AND (((test \$4 replicat\$4 clon\$4 simulat \$4) with block\$4 with (packet communicat\$4 connect\$4 stream)) AND (@ad<"20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/19 20:54 |
| S20 | 68 | (IDS (intrusion near3 (detect \$4 prevent\$4))).ab. AND (((simulat\$4 test\$4) (copy\$4 clon\$4)) near5 (packet message) same ((drop\$4 block\$4 forward\$4 re\$2direct \$4 allow\$4) near5 (message packet session connect\$4))) AND (@ad<"20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/19 21:08 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| S27 | 10 | ((IDS (intrusion near3 (detect \$4 prevent\$4)) ((virus worm attack\$4 hack\$4 malicious mal\$2ware\$2) near4 (detect \$4 scan\$4)))).ab. AND ((test \$4 replicat\$4 clon\$4 simulat \$4) with (detect\$4 examin\$6 check\$4 determin\$4) with (packet communicat\$4 connect\$4) with ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet)))) AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/20 13:42 |
| S28 | 20 | ((IDS (intrusion near3 (detect \$4 prevent\$4)) ((virus worm attack\$4 hack\$4 malicious mal\$2ware\$2) near4 (detect \$4 scan\$4)))).ab. AND ((test \$4 replicat\$4 clon\$4 simulat \$4) with (detect\$4 examin\$6 check\$4 determin\$4) with (packet communicat\$4 connect\$4) same ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet)))) AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/22 13:59 |
| S29 | 14 | ((IDS (intrusion near3 (detect \$4 prevent\$4)) ((virus worm attack\$4 hack\$4 malicious mal\$2ware\$2) near4 (detect \$4 scan\$4)))).ab. AND ((test \$4 replicat\$4 clon\$4 simulat \$4) with (detect\$4 examin\$6 check\$4 determin\$4) with (packet communicat\$4 connect\$4) same ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet)))) AND ((simulat\$4 test\$4 replicat\$4 duplicat\$4 clon\$4 copy\$4 copied) near6 (system machine device packet message) with (virus worm attack\$4 hack\$4 malicious mal\$2ware\$2 DoS IDS firewall)) AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/22 14:02 |

| | | | | | | |
|-----|----|---|---|----|----|---------------------|
| S30 | 14 | (IDS (intrusion near3 (detect \$4 prevent\$4)) ((virus worm attack\$4 hack\$4 malicious mal\$2ware\$2) near4 (detect \$4 scan\$4))) .clm. AND ((test \$4 replicat\$4 clon\$4 simulat \$4) with (detect\$4 examin\$6 check\$4 determin\$4) with (packet communicat\$4 connect\$4) same ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet))) AND ((simulat\$4 test\$4 replicat\$4 duplicat\$4 clon\$4 copy\$4 copied) near6 (system machine device packet message) with (virus worm attack\$4 hack\$4 malicious mal\$2ware\$2 DoS IDS firewall)) AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/22 14:03 |
| S31 | 4 | (IDS (intrusion near3 (detect \$4 prevent\$4)) ((virus worm attack\$4 hack\$4 malicious mal\$2ware\$2) near4 (detect \$4 scan\$4))) .clm. AND ((test \$4 replicat\$4 clon\$4 simulat \$4) with (detect\$4 examin\$6 check\$4 determin\$4) with (packet communicat\$4 connect\$4) same ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet))) AND ((simulat\$4 test\$4 replicat\$4 duplicat\$4 clon\$4) near6 (system machine device) with (threat\$4 virus worm attack\$4 hack\$4 malicious mal\$2ware\$2 DoS IDS firewall)) AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/22 14:12 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| S32 | 20 | ((IDS (intrusion near3 (detect\$4 prevent\$4)) ((virus worm attack\$4 hack\$4 malicious mal\$2ware\$2) near4 (detect\$4 scan\$4)) AND ((test\$4 replicat\$4 clon\$4 simulat\$4) with (detect\$4 examin\$6 check\$4 determin\$4) with (packet communicat\$4 connect\$4) same ((drop\$4 block\$4 allow\$4) near4 (session communicat\$4 connect\$4 packet)))) AND ((simulat\$4 test\$4 replicat\$4 duplicat\$4 clon\$4) near6 (system machine device) with (threat\$4 virus worm attack\$4 hack\$4 malicious mal\$2ware\$2 DoS IDS firewall)) AND (@ad< "20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/22 14:14 |
| S34 | 20 | ((simulat\$4 replicat\$4 duplicat\$4 clon\$4 test\$4) near6 (system machine device server host computer PC) with ((IDS (intrusion near3 (detect\$4 prevent\$4)) ((scan\$4 detect\$4) near4 (virus worm threat\$4 attack malicious hack\$4 DoS)))) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4) near5 (message packet session connect\$4) with (virus worm threat\$4 attack malicious hack\$4 DoS)) AND (@ad< "20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/23 08:54 |
| S35 | 28 | ((simulat\$4 replicat\$4 duplicat\$4 clon\$4 test\$4) near6 (system machine device server host computer PC) with ((IDS (intrusion near3 (detect\$4 prevent\$4)) ((scan\$4 detect\$4) near4 (virus worm threat\$4 attack malicious hack\$4 DoS)))) AND ((drop\$4 terminat\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4) near5 (message packet session connect\$4) with (virus worm threat\$4 attack malicious hack\$4 DoS)) AND (@ad< "20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/23 08:54 |

| | | | | | | |
|-----|----|---|---|----|----|---------------------|
| S36 | 4 | "6279113".pn. "5557742".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/23 09:18 |
| S37 | 52 | ((simulat\$4 replicat\$4 duplicat\$4 clon\$4 test\$4) near6 (system machine device server host computer PC) with ((IDS (intrusion near3 (detect\$4 prevent\$4)) ((scan\$4 detect\$4) near4 (virus worm threat\$4 attack malicious hack\$4 DoS)))) AND ((direct\$4 re\$2direct\$4) near7 (test\$4 simulat\$4) near5 (system server machine host client computer device PC)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4) near5 (message packet session connect\$4)) AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/23 09:23 |
| S38 | 66 | ((simulat\$4 replicat\$4 duplicat\$4 clon\$4 test\$4) near6 (system machine device server host computer PC) with ((IDS (intrusion near3 (detect\$4 prevent\$4)) ((scan\$4 detect\$4) near4 (virus worm threat\$4 attack malicious hack\$4 DoS)))) AND ((direct\$4 re\$2direct\$4) near5 (test\$4 simulat\$4 duplicat\$4 replicat\$4) near5 (system server machine host client computer device PC)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow \$4) near5 (message packet session connect\$4)) AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/23 09:24 |
| S39 | 9 | ("5557742" "6279113" "6408391" "6513122").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/23 09:35 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S40 | 4 | (baehr near3 geoffrey).in. AND (packet near2 filter\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/23 09:57 |
| S48 | 8 | ("5832208" "6088803" "5960170" "6205551").pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/23 10:02 |
| S49 | 126 | ((IDS (intrusion near3 (detect \$4 prevent\$4))).ab. AND (((simulat\$4 test\$4) (copy\$4 clon\$4)) near5 (packet message) same (drop\$4 block\$4 forward\$4 re\$2direct \$4 allow\$4)) AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/23 10:10 |
| S50 | 2 | (ramsey near3 jon).in. AND security.ti. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/23 10:14 |
| S51 | 109 | ((updat\$4 add\$4) near4 (virus near3 signature)) AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/23 14:33 |
| S52 | 32 | ((updat\$4 add\$4) near4 (virus near3 signature) with (host client PC computer)) AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/23 14:33 |
| S53 | 3 | ((updat\$4 add\$4) near4 (virus near3 signature) with (host client PC computer) same pattern) AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2009/10/23 14:35 |
| S54 | 135 | ((IDS (intrusion near3 (detect \$4 prevent\$4))).ab. AND (((simulat\$4 test\$4) (copy\$4 clon\$4 replicat\$4)) near5 (packet message) same (drop \$4 block\$4 forward\$4 re \$2direct\$4 allow\$4)) AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/13 15:51 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S55 | 27 | ((IDS (intrusion near3 (detect \$4 prevent\$4))) .ab. AND (((simulat\$4 test\$4) (copy\$4 clon\$4 replicat\$4)) near5 (machine host network PC computer laptop phone device) with (packet message) same (drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4)) AND (@ad< "20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/13 15:52 |
| S56 | 614 | ((IDS (intrusion near3 (detect \$4 prevent\$4))) AND (((simulat\$4 test\$4) (copy\$4 clon\$4 replicat\$4)) near5 (machine host network PC computer laptop phone device)).ab. AND ((packet message) with (drop\$4 block \$4 forward\$4 re\$2direct\$4 allow\$4)) AND (@ad< "20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/13 15:56 |
| S57 | 3 | ((IDS (intrusion near3 (detect \$4 prevent\$4))) AND ((simulat\$4 test\$4) with (copy\$4 clon\$4 replicat\$4) near5 (system machine host network PC computer laptop phone device)).ab. AND ((packet message communicat\$4) with (simulat \$4 test\$4) with (drop\$4 block \$4 forward\$4 re\$2direct\$4 allow\$4)) AND (@ad< "20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/13 15:58 |
| S59 | 4 | ((IDS (intrusion near3 (detect \$4 prevent\$4))) AND (((simulat\$4 test\$4) with (copy\$4 clon\$4 replicat\$4) near5 (system machine host network PC computer laptop phone device)).dm. AND ((packet message communicat\$4) with (simulat \$4 test\$4) with (drop\$4 block \$4 forward\$4 re\$2direct\$4 allow\$4)) AND (@ad< "20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/14 11:52 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S60 | 6 | ((IDS (intrusion near3 (detect \$4 prevent\$4))) AND ((simulat\$4 test\$4) with (copy\$4 clon\$4 replicat\$4 duplicat\$4) near5 (system machine host network PC computer laptop phone device)).clm. AND ((packet message communicat\$4) with (simulat\$4 test\$4) with (drop\$4 block\$4 forward\$4 re \$2direct\$4 allow\$4)) AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/14 11:52 |
| S61 | 55 | ((IDS (intrusion near3 (detect \$4 prevent\$4))) AND ((simulat\$4 test\$4) with (copy\$4 clon\$4 replicat\$4 duplicat\$4) near5 (system machine host network PC computer laptop phone device)) AND ((packet message communicat\$4) with (simulat\$4 test\$4) with (drop\$4 block\$4 forward\$4 re \$2direct\$4 allow\$4)) AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/04/14 11:53 |
| S62 | 24 | ((IDS (intrusion near3 (detect \$4 prevent\$4)) ((detect\$4 prevent\$4 scan\$4) near5 (virus threat malicious attack \$4 vulnerab\$6 worm malware))) with (simulat\$4 replicat\$4 clon\$4)).ab. AND ((drop\$4 block\$4 forward\$4 discard\$4 re\$2direct\$4 allow \$4) near5 (message packet session connect\$4)) AND (@ad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/22 15:29 |
| S63 | 109 | (honeypot) AND ((detect\$4 scan\$4 determin\$4 identify \$4) near5 (threat virus malicious attack\$4 malware worm vulnerab\$6)) AND (@ad< "20031030" @rlad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/22 15:37 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S64 | 89 | ((honeypot) AND ((detect\$4 scan\$4 determin\$4 identify\$4) near5 (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4 discard\$4) near6 (packet message communication)) AND (@ad<"20031030" @rlad<"20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/22 15:38 |
| S65 | 57 | ((honeypot decoy) with (inspect\$4 detect\$4 scan\$4 determin\$4 identify\$4) with (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4 discard\$4) near6 (packet message communication)) AND (@ad<"20031030" @rlad<"20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/22 16:00 |
| S66 | 183 | ((honeypot decoy simulat\$4 ((test\$4 duplicat\$4 copy\$4 replicat\$4 clon\$3) near4 (system unit machine server host cluster))) with (inspect\$4 detect\$4 scan\$4 determin\$4 identify\$4) with (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4 discard\$4) near6 (packet message communication)) AND (@ad<"20031030" @rlad<"20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/22 17:27 |
| S67 | 60 | ((honeypot decoy simulat\$4 ((test\$4 duplicat\$4 copy\$4 replicat\$4 clon\$3) near4 (system unit machine server host cluster))) with (inspect\$4 detect\$4 scan\$4 determin\$4 identify\$4) with (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4 discard\$4) near6 (packet message communication)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow\$4 discard\$4) near6 (packet message communication)). clm. AND(@ad<"20031030" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/22 17:29 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S68 | 206 | ((honeypot decoy simulat\$4 ((test\$4 duplicat\$4 copy\$4 replicat\$4 clon\$3) near6 (system unit machine server host cluster))) with (inspect \$4 detect\$4 scan\$4 determin \$4 identify\$4) with (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow \$4 discard\$4) near6 (packet message communication)) AND (@ad<"20031030" @rlad<"20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/22 20:28 |
| S69 | 307 | ((honeypot decoy simulat\$4 ((test\$4 duplicat\$4 copy\$4 replicat\$4 clon\$3) near6 (system unit machine server host cluster))) with (inspect \$4 detect\$4 scan\$4 determin \$4 identify\$4) with (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow \$4 discard\$4) near6 (packet message communication data information)) AND ((inspect\$4 detect\$4 scan\$4 determin\$4 identify\$4) with (packet message communication data information) with (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND (@ad<"20031030" @rlad<"20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/22 20:31 |
| S70 | 301 | ((honeypot decoy simulat\$3 ((test\$3 duplicat\$3 copy\$3 replicat\$3 clon\$3) near6 (system unit machine server host cluster))) with (inspect \$4 detect\$4 scan\$4 determin \$4 identify\$4) with (threat virus malicious attack\$3 malware worm vulnerabl\$6)) AND ((drop\$3 block\$3 forward\$3 re\$2direct\$3 allow \$3 discard\$3) near6 (packet message communication data information)) AND ((inspect\$3 detect\$3 scan\$4 determin\$3 identify\$3) with | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/22 20:34 |

| | | | | | | |
|-----|----|--|--|----|----|------------------|
| | | (packet message communication data information) with (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND (@ad<"20031030" @rlad<"20031030") | | | | |
| S71 | 77 | ((honeypot decoy simulat\$3 ((test\$3 duplicat\$3 copy\$3 replicat\$3 clon\$3) near6 (system unit machine server host cluster))) with (inspect \$4 detect\$4 scan\$4 determin \$4 identify\$4) with (threat virus malicious attack\$3 malware worm vulnerabl\$6)) AND ((drop\$3 block\$3 forward\$3 re\$2direct\$3 allow \$3 discard\$3) near6 (packet message communication data information)) AND ((inspect\$3 detect\$3 scan\$4 determin\$3 identify\$3) with (packet message communication data information) with (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND ((drop\$3 block\$3 forward\$3 re\$2direct\$3 allow \$3 discard\$3) near6 (packet message communication data information)).clm. AND (@ad<"20031030" @rlad<"20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/22 20:36 |
| S72 | 60 | ((honeypot decoy simulat\$4 ((test\$4 duplicat\$4 copy\$4 replicat\$4 clon\$3) near4 (system unit machine server host cluster))) with (inspect \$4 detect\$4 scan\$4 determin \$4 identify\$4) with (threat virus malicious attack\$4 malware worm vulnerabl\$6)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow \$4 discard\$4) near6 (packet message communication)) AND ((drop\$4 block\$4 forward\$4 re\$2direct\$4 allow \$4 discard\$4) near6 (packet message communication)).clm. AND(@ad<"20031030" @rlad<"20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/22 20:37 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S73 | 24 | S71 not S72 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/22 20:37 |
| S74 | 224 | S70 not S71 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/22 21:22 |
| S75 | 2 | "5907696".PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/22 22:09 |
| S76 | 44 | ((honeypot ((test\$3 duplicat \$3 copy\$3 replicat\$3 don\$3 decoy simulat\$3 imitat\$3 vicarious) near6 (system unit machine server host cluster))) with ((inspect\$4 detect\$4 scan\$4 determin\$4 identify\$4) near5 (threat virus malicious attack\$3 malware worm vulnerabl \$6))) AND ((drop\$3 block\$3 forward\$3 re\$2direct\$3 allow \$3 discard\$3) near6 (packet message communication data information) with (virus attack\$3 normal anomal\$2 abnormal\$2 defect\$3 affect\$3 worm threat\$3 malicious malware)) AND ((inspect\$3 detect\$3 scan\$4 determin\$3 identify\$3) with (packet message communication data information) with (threat virus malicious attack \$4 malware worm vulnerabl \$6)) AND ((drop\$3 block\$3 forward\$3 re\$2direct\$3 allow \$3 discard\$3) near6 (packet message communication data information)).c.m. AND (@ad< "20031030" @rlad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/22 22:59 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S77 | 378 | ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware) with (message communication packaet email e?mail) same (drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4)) AND (@ad<"20031030" @rlad<"20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 06:44 |
| S78 | 30 | ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware) with (message communication packaet email e?mail) same (drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4)) AND ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware) with (message communication packaet email e?mail) same (drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4)).clm. AND (@ad<"20031030" @rlad<"20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 06:45 |
| S79 | 54 | ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware) with (message communication packaet email e?mail)).ab. AND ((scan \$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware) with (message communication packaet email e?mail) same (drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4)) AND (@ad<"20031030" @rlad<"20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 07:03 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S80 | 110 | ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware) with (message communication packaet email e?mail)).ab. AND ((scan \$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware) with (message communication packaet email e?mail) same (drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4 divert\$4 \$3direct\$4 forward\$4 pass \$3)) AND (@ad<"20031030" @rlad<"20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 07:04 |
| S81 | 56 | S80 not S79 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 07:05 |
| S82 | 51 | S79 not S78 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 07:05 |
| S83 | 48 | ("4577313" "5550984" "5559883" "5590285" "5606668" "5623601").PN. OR ("5878231").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2010/10/23 09:07 |
| S84 | 92 | ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware) with (message communication packet) same (drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4)) AND ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2) near5 (device system host server machine computer PC) same (virus worm threat attack\$3 malicious vulnerab \$6 amomal\$4 malware)) AND (@ad<"20031030" @rlad<"20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 09:15 |

| | | | | | | |
|-----|---|---|---|----|----|---------------------|
| S85 | 8 | ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message data communication packet)) AND ((drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4) near5 (packet message communication session) same (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware)) AND ((\$direct\$3 divert\$4 forward\$4 transmit\$4) near5 (packet message communication) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2) near5 (device system host server machine computer PC))) AND (@ad< "20031030" @rlad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 09:21 |
| S86 | 8 | ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message data communication packet)) AND ((drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4) near5 (packet message communication session) same (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware)) AND ((\$direct\$3 divert\$4 forward\$4 transmit\$4) near5 (packet message communication data request) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2) near5 (device system host server machine computer PC))) AND (@ad< "20031030" @rlad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 09:21 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| S87 | 10 | ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware) with (message data communication packet)) AND ((drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4) near5 (packet message communication session data request) same (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware)) AND (((\$3direct \$3 divert\$4 forward\$4 transmit\$4) near5 (packet message communication data request) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2) near5 (device system host server machine computer PC))) AND (@ad<"20031030" @rlad<"20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 09:21 |
| S88 | 71 | ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5) near5 (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware) with (message data communication packet)) AND ((drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4) near5 (packet message communication session data request) same (virus worm threat attack\$3 malicious vulnerab\$6 amomal \$4 malware)) AND (((\$3direct \$3 divert\$4 forward\$4 transmit\$4) near5 (packet message communication data request) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2 proxy) near5 (device system host server machine computer PC))) AND (@ad<"20031030" @rlad<"20031030")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 09:32 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| S89 | 102 | ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5 identifi\$4 pars\$3) with (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message data communication packet)) AND ((drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4) near5 (packet message communication session data request) same (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware)) AND ((\$direct\$3 divert\$4 forward\$4 transmit\$4) near5 (packet message communication data request) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2 proxy) near5 (device system host server machine computer PC))) AND (@ad<"20031030"@rlad<"20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 09:33 |
| S90 | 110 | ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5 identifi\$4 pars\$3) with (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message data communication packet)) AND ((drop\$4 discard\$3 delect\$4 block\$3 ignor\$3 terminat\$4) near5 (packet message communication session data request) same (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware)) AND ((\$direct\$3 divert\$4 forward\$4 transmit\$4) near5 (packet message communication data request) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2 proxy test) near5 (device system host server machine computer PC))) AND (@ad<"20031030"@rlad<"20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 09:35 |

| | | | | | | |
|-----|-----|--|---|----|----|---------------------|
| S91 | 323 | ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5 identif\$4 pars\$3) with (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message data communication packet)) AND ((\$3direct\$3 divert\$4 forward\$4 transmit\$4) near5 (packet message communication data request) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2 proxy test) near5 (device system host server machine computer PC))) AND (@ad< "20031030" @rlad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 10:05 |
| S92 | 46 | ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5 identif\$4 pars\$3) with (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message data communication packet)). clm. AND ((\$3direct\$3 divert\$4 forward\$4 transmit\$4) near5 (packet message communication data request) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2 proxy test) near5 (device system host server machine computer PC))) AND (@ad< "20031030" @rlad< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 10:06 |
| S93 | 34 | ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5 identif\$4 pars\$3) with (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message data communication packet)). ab. AND ((\$3direct\$3 divert\$4 forward\$4 transmit\$4) near5 (packet message communication data request) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2 proxy test) near5 (device system host server machine computer PC))) AND (@ad< "20031030" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/10/23 10:18 |

| | | | | | | |
|-----|----|--|---|----|----|---------------------|
| | | @rld< "20031030") | | | | |
| S94 | 34 | ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5 identif\$4 pars\$3) with (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message data communication packet)). ab. AND ((s\$direct\$3 divert \$4 forward\$4 transmit\$4) near5 (packet message communication data request) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2 proxy test) near5 (device system host server machine computer PC network))) AND (@ad< "20031030" @rld< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/04 16:49 |
| S95 | 47 | ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5 identif\$4 pars\$3) with (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message data communication packet)). clm. AND ((s\$direct\$3 divert \$4 forward\$4 transmit\$4) near5 (packet message communication data request) with ((decoy duplicat\$3 replicat\$3 clon\$3 simulat\$3 vicarius imitat\$3 mimic\$2 proxy test) near5 (device system host server machine computer PC network))) AND (@ad< "20031030" @rld< "20031030") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/04/04 16:53 |
| S96 | 71 | ((scan\$4 detect\$3 check\$3 determin\$5 exam\$5 identif\$4 pars\$3) with (virus worm threat attack\$3 malicious vulnerab\$6 amomal\$4 malware) with (message data communication packet)). ab. AND ((decoy duplicat\$3 replicat\$3 clon\$3 honeypot honeynet (honey adj (pot net))) with (simulat\$3 vicarius imitat\$3 mimic\$2 proxy test\$4 detect\$4 identify \$4 scan\$4) with (virus attack | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2011/12/28 10:33 |

| |
|---|
| \$3 malicious malware threat worm)) AND (@ad< "20031030" @riad< "20031030") |
|---|

EAST Search History (Interference)

< This search history is empty>

12/ 28/ 2011 12:57:22 PM

C:\ Documents and Settings\ lpham7\ My Documents\ EAST\ Workspaces\ 10\ 10-576-250.wsp